

BPIR Declaration

TRU-SLIDE™ SLIDING HANGAR DOORS

DESIGNATED BUILDING PRODUCT

Class 2

DECLARATION

ARA Group NZ Limited, trading as Metalbilt has provided this declaration to satisfy the provisions of Schedule 1(d) of the Building (Building Product Information Requirements) Regulations 2022.

PRODUCT SYSTEM

TRU-SLIDE™ Sliding Hangar Doors

System identifier:
TRU-SLIDE™ Sliding Hangar Doors

DESCRIPTION

The TRU-SLIDE™ Sliding Door is a commercial / industrial sliding door product, manufactured from heavy duty duragalv steel and recessed floor tracks allows for a smooth transition of aircraft into a hangar.

There is no maximum height or width for these sliding doors.

A wide range of cladding options to suit your requirements.

Remote operation for increased safety.

Suitable for high-wind regions and can be specifically engineered to your site's terrain.

TRU-SLIDE™ are not fire rated.

For further information, go to <https://manufacture.aragroup.co.nz/products/tru-slide-sliding-hangar-doors/>

BPIR Declaration

SCOPE OF USE

The TRU-SLIDE™ is suitable for external use in commercial and industrial hangars to provide high security and access to aircraft.

These doors can be engineered to suit a wind zone in accordance with NZS 3604.

The TRU-SLIDE™ cannot be insulated.

CONDITIONS OF USE

TRU-SLIDE™ must be installed by a competent and experienced commercial door installer, as per the installation instructions.

Operating instructions must be followed for correct use.

Openings must be designed with minimum requirements given in the technical drawings.

These doors cannot be used where fire ratings are required.

RELEVANT BUILDING CODE CLAUSES

B1 Structure — B1.3.1, B1.3.2, B1.3.3 (a, b, h, j), B1.3.4

B2 Durability — B2.3.1 (b, c)

E2 External moisture — E2.3.2, E2.3.7

F2 Hazardous building materials — F2.3.1, F2.3.3

H1 Energy efficiency — H1.3.1 (a, b), H1.3.2E

CONTRIBUTIONS TO COMPLIANCE

Structure

These doors are manufactured from strong, durable materials. Account has been taken for relevant physical conditions, including self-weight, imposed gravity loads and impact to ensure the doors can withstand these forces without being compromised.

Durability

TRU-SLIDE™ Sliding Doors have a durability of at least 15 years under normal use and correct maintenance conditions.

Hazardous Building Materials

TRU-SLIDE™ are safe when handled.

SUPPORTING DOCUMENTATION

<https://manufacture.aragroup.co.nz/wp-content/uploads/2024/06/TRU-SLIDETM%EF%B8%8F-Marketing-Flyer.pdf>

TRU-SLIDE™ Datasheet

For further information supporting TRU-SLIDE™ Sliding Hangar Doors claims refer to our website.

BPIR Declaration

CONTACT DETAILS	
Manufacture location	New Zealand
Legal and trading name of manufacturer	ARA Group NZ Limited trading as Metalbilt
Manufacturer address for service	26 Timothy Place Auckland 1026
Manufacturer website	https://manufacture.aragroup.co.nz/
Manufacturer email	info.nz@metalbilt.co.nz
Manufacturer phone number	0800 638 252
Manufacturer NZBN	94290 4244 2738

RESPONSIBLE PERSONS

As the responsible person as set out in Regulation 3, I confirm that the information supplied in this declaration is based on information supplied to the company as well as the company's own processes and is therefore to the best of my knowledge, correct.

I can also confirm that Security Roller Grille is not subject to a warning on ban under s26 of the Building Act.

Signed for and on behalf of ARA Group NZ Limited trading as Metalbilt:

ARA GROUP NZ LIMITED TRADING AS METALBILT
 26 Timothy Place Auckland 1026 New Zealand
 0800 638 252 | <https://manufacture.aragroup.co.nz/>