

BPIR Declaration

TRU-STRIP™ PVC STRIP CURTAINS

DESIGNATED BUILDING PRODUCT

Class 2

DECLARATION

ARA Group NZ Limited, trading as Metalbilt has provided this declaration to satisfy the provisions of Schedule 1(d) of the Building (Building Product Information Requirements) Regulations 2022.

PRODUCT SYSTEM

TRU-STRIP™ PVC Strip Curtains

System identifier:
TRU-STRIP™ PVC Strip Curtains

DESCRIPTION

The TRU-STRIP™ are commercial / industrial grade PVC strip curtains and are made from heavy-duty, thermally resistant PVC, available in a flat or ribbed style.

The PVC is able to withstand temperatures from +50°C to -15°C (Standard Temp) and -45°C to +50°C (Low Temp)

- Aluminium Header Track with optional Hygiene Covers.
- Stainless Steel fixings for corrosion resistance.
- Noise reduction up to 35db

Supplied as an easy to install kitset.

TRU-STRIP™ are not fire rated.

For further information, go to <https://manufacture.aragroup.co.nz/products/tru-strip-pvc-strip-curtains/>

BPIR Declaration

SCOPE OF USE

The TRU-STRIP™ is suitable for internal / external use in commercial and industrial buildings to provide protection from weather and pests while helping with temperature control. Suitable for warehousing, and food preparation areas.

The TRU-STRIP™ cannot be insulated.

CONDITIONS OF USE

TRU-STRIP™ must be installed by a competent and experienced commercial door installer, as per the installation instructions.

Operating instructions must be followed for correct use.

Openings must be designed with minimum requirements given in the technical drawings.

These doors cannot be used where fire ratings are required.

RELEVANT BUILDING CODE CLAUSES

Relevant building code clauses

B1 Structure — B1.3.1, B1.3.2, B1.3.3 (a, b, h, j), B1.3.4

B2 Durability — B2.3.1 (b, c)

E2 External moisture — E2.3.2, E2.3.7

F2 Hazardous building materials — F2.3.1

H1 Energy efficiency — H1.3.1 (a, b), H1.3.2E

CONTRIBUTIONS TO COMPLIANCE

Structure

These doors are manufactured from strong, durable materials. Account has been taken for relevant physical conditions, including self-weight, imposed gravity loads and impact to ensure the doors can withstand these forces without being compromised.

Durability

TRU-STRIP™ have a durability of at least 15 years under normal use and correct maintenance conditions.

Hazardous Building Materials

TRU-STRIP™ are safe when handled.

Energy Efficiency

These doors are not insulated

SUPPORTING DOCUMENTATION

TRU-STRIP™ Datasheet

<https://manufacture.aragroup.co.nz/wp-content/uploads/2022/03/DR1074-PROD-Metalbilt-Tru-Strip-Flyer.pdf>

For further information supporting TRU-STRIP™ PVC Strip Curtains claims refer to our website.

BPIR Declaration

CONTACT DETAILS	
Manufacture location	New Zealand
Legal and trading name of manufacturer	ARA Group NZ Limited trading as Metalbilt
Manufacturer address for service	26 Timothy Place Auckland 1026
Manufacturer website	https://manufacture.aragroup.co.nz/
Manufacturer email	info.nz@metalbilt.co.nz
Manufacturer phone number	0800 638 252
Manufacturer NZBN	94290 4244 2738

RESPONSIBLE PERSONS

As the responsible person as set out in Regulation 3, I confirm that the information supplied in this declaration is based on information supplied to the company as well as the company's own processes and is therefore to the best of my knowledge, correct.

I can also confirm that Security Roller Grille is not subject to a warning on ban under s26 of the Building Act.

Signed for and on behalf of ARA Group NZ Limited trading as Metalbilt:

ARA GROUP NZ LIMITED TRADING AS METALBILT

26 Timothy Place Auckland 1026 New Zealand

0800 638 252 | <https://manufacture.aragroup.co.nz/>