DESIGNATED BUILDING PRODUCT

Class 2

DECLARATION

ARA Group NZ Limited, trading as Metalbilt has provided this declaration to satisfy the provisions of Schedule 1(d) of the Building (Building Product Information Requirements) Regulations 2022.

PRODUCT SYSTEM

TRU-TRAC™ Commercial Sliding Door

System identifier: TRU-TRAC™ Commercial Sliding Door

DESCRIPTION

TRU-TRAC™ Sliding Doors are a manual commercial / industrial sliding door product, manufactured from high strength Duragalv box section steel. Single span opening with no removeable mullions or excessive load on the lintel.

A wide range of sizing is available up to a maximum width of 20 metres and maximum height of 8 metres.

Variety of cladding options available.

TRU-TRAC™ can be supplied in a galvanised or powder coated finish.

TRU-TRAC™ are not fire rated.

For further information, go to https://manufacture.aragroup.co.nz/products/tru-trac-sliding-door/



BPIR Declaration

SCOPE OF USE

 $\mathsf{TRU}\text{-}\mathsf{TRAC}^\mathsf{TM}$ Sliding Doors are suitable for external use in commercial and industrial buildings to provide vehicle or pedestrian access.

Windows are not a feature of this door, so therefore cannot be used to provide natural light where natural light is required. $TRU-TRAC^{TM}$ cannot be insulated.

CONDITIONS OF USE

TRU-TRAC™ Commercial Sliding Doors must be installed by a competent and experienced commercial door installer, as per the installation instructions

Operating instructions must be followed for correct use.

Openings must be designed with minimum requirements given in the technical drawings.

TRU-TRAC™ doors can be engineered to suit a wind zone in accordance with NZS 3604.

Not to be used where fire ratings are a requirement.

RELEVANT BUILDING CODE CLAUSES

B1 Structure — B1.3.1, B1.3.2, B1.3.3 (a, b, h, j), B1.3.4

B2 Durability — B2.3.1 (b, c)

E2 External moisture — E2.3.2, E2.3.7

F2 Hazardous building materials — F2.3.1

H1 Energy efficiency — H1.3.1 (a, b), H1.3.2E

CONTRIBUTIONS TO COMPLIANCE

Structure

These doors are manufactured from strong, durable materials. Account has been taken for relevant physical conditions, including self-weight, imposed gravity loads and impact to ensure the doors can withstand these forces without being compromised.

Durability

TRU-TRAC™ have a durability of at least 15 years under normal use and correct maintenance conditions.

External Moisture

TRU-TRAC™ are supplied with PVC weather seals.

Hazardous Building Materials

TRU-TRAC™ are safe when handled.

SUPPORTING DOCUMENTATION

TRU-TRAC™ Datasheet	https://manufacture.aragroup.co.nz/wp-content/uploads/2024/06/TRU-TRACTM-Marketing-Flyer.pdf		
TRU-TRAC™ Track Configurations	https://manufacture.aragroup.co.nz/wp-content/uploads/2022/05/TRU-TRAC-Configuration-Selection.pdf		
	For fronth and information according Charles Dellan		

For further information supporting Steel Roller Shutter claims refer to our website.

TRU-TRAC™ COMMERCIAL SLIDING DOOR

BPIR Declaration

CONTACT DETAILS		
Manufacture location	New Zealand	
Legal and trading name of manufacturer	ARA Group NZ Limited trading as Metalbilt	
Manufacturer address for service	26 Timothy Place Auckland 1026	
Manufacturer website	https://manufacture.aragroup.co.nz/	
Manufacturer email	info.nz@metalbilt.co.nz	
Manufacturer phone number	0800 638 252	
Manufacturer NZBN	94290 4244 2738	

RESPONSIBLE PERSONS

As the responsible person as set out in Regulation 3, I confirm that the information supplied in this declaration is based on information supplied to the company as well as the company's own processes and is therefore to the best of my knowledge, correct.

I can also confirm that Security Roller Grille is not subject to a warning on ban under s26 of the Building Act.

Signed for and on behalf of ARA Group NZ Limited trading as Metalbilt:

ARA GROUP	N7 I IMITED	TRADING AS	MFTAI RII T

26 Timothy Place Auckland 1026 New Zealand 0800 638 252 | https://manufacture.aragroup.co.nz/